ELSEVIER

Materials Science and Engineering A190 (1995) v

MATERIALS SCIENCE & ENGINEERING A

Contents

Disclination grain boundary model with plastic deformation by dislocations 1
J.A. Hurtado, B.R. Elliott, H.M. Shodja, D.V. Gorelikov, C.E. Campbell, H.E. Lippard, T.C. Isabell and J. Weertman (Evanston, IL, USA)

Threshold creep behaviour of discontinuous aluminium and aluminium alloy matrix composites: an overview 9
J. Čadek (Brno, Czech Republic), H. Oikawa (Sendai, Japan) and V. Šustek (Brno, Czech Republic)

On the calculation of closure-free fatigue crack propagation data in monolithic metal alloys 25
R.W. Hertzberg (Bethlehem, PA, USA)

Using strain rate sensitivity measurements to determine phase relations in A430 stainless steel 33
W.D. MacDonald (Cambridge, MA, USA), G.J.C. Carpenter (Ottowa, Ont., Canada) and S. Saimoto (Kingston, Ont., Canada)

Relationship of energy dissipation efficiency to microstructural evolution in hot working of AISI 304 steel 43
H.J. McQueen, N. Jin and N.D. Ryan (Montreal, Que., Canada)

Effects of microstructural variables on the deformation behaviour of dual-phase steel 55
Z. Jiang, Z. Guan and J. Lian (Changchun, China)

Effect of fiber bridging on the fatigue crack propagation in carbon fiber-reinforced aluminum laminates 65
C.T. Lin and P.W. Kao (Kaohsiung, Taiwan)

On the additivity of acoustoplastic and electroplastic effects 75
A.V. Kozlov, B.N. Mordyuk and A.V. Chernyashevsky (Kiev, Ukraine)

Strain localization and superplastic-like flow in copper at high temperature 81
W. Bochniak (Kraków, Poland)

Atomistic simulation of thermally activated glide of dislocations in Fe–Ni–Cr–N austenite 87
M. Grujicic and X.W. Zhou (Clemson, SC, USA)

Microstructural influence on the intrinsic fatigue properties of Al–Li 8090 alloy 99
K.J. Park, C.G. Park, N.J. Kim and C.S. Lee (Pohang, South Korea)

Boron in polycrystalline Ni_3Al–mechanism of enhancement of ductility and reduction of environmental embrittlement 109
T.K. Chaki (Buffalo, NY, USA)

Effects of thermomechanical treatment of 0.45 wt.% C steel in the superplastic mode on plastic zone parameters after impact fracture in the ductile–brittle transition temperature range 117
K.G. Farkhutdinov and F.A. Fairushin (Ufa, Russa)

An analysis of the capillary force and optimum liquid volume in a transient liquid phase sintering process 125
C. Hu and T.N. Baker (Glasgow, UK)

Residual stresses in fibre- and whisker-reinforced aluminium alloys during thermal cycling measured by X-ray diffraction 131
A. Weiland and T. Johannesson (Linköping, Sweden)

Evaluation of the stress corrosion cracking behaviour of damage-tolerant Al–Li sheet using the slow strain rate testing technique 143
R. Braun (Cologne, Germany)

Effect of pressure rolling on the residual stress state of a particulate-reinforced metal matrix composite 155
E. Hanus and T. Ericsson (Linköping, Sweden)

The formation of B-$FeSiAl_5$ and Be–Fe phases in Al–7Si–0.3Mg alloy containing Be 165
S. Murali, K.S. Raman and K.S.S. Murthy (Bangalore, India)

Some metallurgical aspects of chip formation in cutting Ti–6wt.%Al–4wt.%V alloy 173
A.E. Bayoumi and J.Q. Xie (Pullman, WA, USA)

Preparation of Cu–TiN alloy by external nitridation in combination with mechanical alloying 181
F. Chi, M. Schmerling, Z. Eliezer, H.L. Marcus and M.E. Fine (Austin, TX, USA)

Microstructural stability of rapidly quenched Al–Fe–Mo alloys 187
K. Loucif, G. Vigier and P. Merle (Villeurbanne, France)

Computer model simulation study of nanocrystalline iron 193
D. Chen (Shanghai, China)

Microstructure and electrochemical behavior of laser treated Fe–Cr and Fe–Cr–Si–N surface alloyed layers on carbon steel . . . 199
C.C. Huang, W.T. Tsai and J.T. Lee (Tainan, Taiwan)

Effects of vanadium additions on microstructure and hardness of hypereutectoid pearlitic steels 207
K. Han (Delft, Netherlands), T.D. Mottishaw (Rheinmunster, Germany), G.D.W. Smith, (Oxford, UK), D.V. Edmonds, (Leeds, UK) and A.G. Stacey (Yorkshire, UK)

Fibre debonding and breakage in a whisker-reinforced metal 215
V. Tvergaard (Lyngby, Denmark)

Origin of grain boundary motion during diffusion bonding by hot pressing 223
W. Hu, D. Ponge and G. Gottstein (Aachen, Germany)

Thermal expansion of cementite and thermoelastic stresses in white cast iron 231
S. Hartmann and H. Ruppersberg (Saarbrücken, Germany)

Quantification of partially recrystallized polycrystals using electron backscatter diffraction 241
D.P. Field (Alcoa Center, PA, USA)

The influence of silicon on carbon redistribution in steel weldments 247
B. Million, J. Kučera and P. Michalička (Brno, Czech Republic)

Development of a low-expansion bond coating for Ni-base superalloys 253
K. Fritscher, C. Leyens and M. Peters (Koln, Germany)

Composition and tempering of Fe–C and Fe–Ni–C fine particles prepared by spark erosion 259
M. Kočová, N. Pizúrová, (Brno, Czech Republic), S. Süllow, (Leiden, Netherlands) and O. Schneeweiss (Brno, Czech Republic)

Bend properties of sapphire fibers at elevated temperatures 1: Bend survivability 267
G.N. Morscher and H. Sayir (Cleveland, OH, USA)

BOOK REVIEW 275

LETTERS

Transmission electron microscopy investigation into the recrystallization of carbon resulting from laser processing of carbon-implanted copper L1
K. Zdunek (Warsaw, Poland)

An indication of pre-decomposition phenomenon of liquid Al–In alloys above the binodal temperature found by viscosity investigations L5
F. Herwig and W. Hoyer (Chemnitz, Germany)

Improvement of structure and mechanical properties of cast titanium alloys using rapid heat treatment L9
P.E. Markovsky (Kiev, Ukraine)

AUTHOR INDEX 277

SUBJECT INDEX 279